



From Pelican to Clear Tech (ZALUL Technology)

Pelican Water Systems has eclipsed the vast field of competitors and is THE Unparalleled leader of the water solutions industry in the United States. We are the “gold standard” in Premium whole house filtration and salt-free water softening/conditioning. With over a decade of diverse yet eco- responsible products, Pelican has distinguished itself as “the industry standard”. Proven system performance, innovative products and superior technology, are just a few of the reasons that Pelican Water Systems is the most sought after partner in the international water treatment community. As Pelican takes flight in Israel, we are proud to introduce a strategic partnership with the greatly respected Clear-Tech, Zalul. Our partnership makes it possible for the citizens of Israel to have the most effective and highly regarded water treatment products engineered and produced in the United States. At Pelican, we are committed to being the standard for others to follow and our choice of partner in Israel is “Clear Tech, ZALUL Technology”.

Justin Barker, Vice President Business Development



Clear-Tech technology (ZALUL)

בברכה,
דן שטיינברג,
יועץ וחלופות אפשריות,
מערכות טיהור מים,
צלול טכנולוגיות.
[054-5478711](tel:054-5478711)
www.cleartech.co.il



לפי DVGW W12 – התקן התעשייתי המקובל כמקפיד, המחמיר והנחשב ביותר בעולם – שיש אותו רק ל Pelican:

- **Pelican NaturSoft** מטפל במים קשים **עד רמה של 75 GRAINS** (יותר מ 1,200 PPM, שזה פי 3 לפחות מ FUTURA, ויותר כשמדובר בכל מוצר המשווק בארץ).
- תוצאות הפעולה **מוכחות – לפי DVGW W12** ב **Pelican NaturSoft** זמן מעבר המים הנדרש מכניסה ועד ליציאת המים לטיפול מלא במולקולה הנו **3 שניות בלבד**. ב FUTURA נדרש לפחות 9 שניות.
- בגלל זה הלקוח מקבל **אחריות ללא הגבלה - Un limited life time warrantee** על המדיה והחלפים. מבדיקות **DVGW W12** היכולת של המערכת לעבוד היא **"Millions & millions of Gallons..."**, כשכל מיליון גלון זה כ 4,000 קוב(!). ב FUTURA למשל האחריות היא ל 5 שנים, ובמוצרים המשווקים בארץ מקסימום 3 שנים וכל החלפה תעלה ללקוח בין 500-800 דולר! בנוסף, **האחריות הניתנת ע"י Pelican על כל הדגמים למגורים היא על כל חלקי המרכיב**. אין אחריות כזאת על כל מוצר אחר.

על "המתחרים" – עובדות מוצקות בלבד

- כל האחרים, כולם אותו האחד, כולם מיוצרים ומורכבים בישראל.
- "הגרמני" היה גרמני כחצי שנה בלבד וזה היה לפני הרבה זמן.
- "האמריקאי" היחידי היה FUTURA וגם הוא כבר איננו כאן, ואין לו אח או אחות במקומו. שלא יספרו לכם סיפורים.
- ההצעות שתקבלו מכל מיני ספקים יכולות להגיע בכל מיני שמות, אבל תמיד זה יהיה אותו מוצר בשמות שונים. תמיד יגיע ממקור אחד.
- איפה הוא מיוצר? מה הכתובת או הטלפון של היצרן? – אין.
- לפי אילו מפרטים מיוצר המכשיר (גובה, קוטר וכמות מדיה) ולאילו ספיקות מים הוא מתאים? – אין מפרטים
- האם הכמות בתוך המכשיר מתאימה לרמת מים הקשים בארץ? – לא ברור / באזורים נרחבים בארץ – בכלל לא.
- האם הדגם המוצע לכם יוכל לטפל בספיקת המים שלכם - מפוקפק מאוד.
- מהם החלפים מהם מיוצר המכשיר? – אין מידע
- אילו תקנים הבינלאומיים חלים על כל חלקי המכשיר? – אין מידע
- מה איכות החומר, אורך החיים? כמה זמן הוא יחזיק מעמד? – אין מידע
- האם אתה מקבל חוברת יצרן מסודרת אודות המוצר, המפרטים, משהו כתוב על מה שקנית? – לא
- מה משמעות האחריות? כמה ידרשו ממך תמורת החלפת המדיה - קרוב לוודאי כל שנתיים במוצע... 500 דולר? 800 דולר?
- מכל האמור, האם אתה יודע מה אתה קונה? אלו תוצאות תקבל? כמה יעלה לך המוצר לאורך שנים? – לא
- מהן המסקנות שלך מכל זה? האם יש משהו שצריך עוד להוסיף?
- איך ניתן בכלל לעשות השוואה עם Pelican?

לכן רק Pelican עם המוניטין העולמי נותן לך life time warranty – un limited

עם התקנים הבינלאומיים המחמירים ביותר על כל מרכיבי המרכיב,

המוצר ברמה הגבוהה ביותר עם תוצאות מוכחות,

עבור השקט הנפשי שלך, בשביל החוויה.

זאתה משלם רק פעם אחת וזהו!

ייצוג Pelican בישראל באמצעות "צלול טכנולוגיות", המשווק הבלעדי בישראל

דגמי No. 1 Seller - COMBO בארצות הברית, טיפול מלא. מי ספא בכל הבית. מים מצוינים לשתייה ולבישול. יעיל במיוחד גם כנגד אסתמה של העור (דרמטיטיס וכד')



Why You Can Trust Pelican With Your Water (From Pelican website)

Pelican Water Systems provides the industry with professional knowledge, and leading technologies in whole house water filtration and salt free water softening & conditioning systems. The owners of Pelican Water Systems started offering water filtration services in 1972. Our Mission is to be the world's premier water solutions company through the development of premium, innovative and environmentally responsible products. We will set the industry standard by continually operating with integrity and passion and with unsurpassed commitment to exceptional customer service, all the while remaining loyal to the pursuit of the highest quality in every segment of our business.



- Customer Satisfaction is our #1 priority
- Over 20 years in the water filtration and softening industry.
- Top Rated products that really work
- Save money dealing factory direct
- Member of industry organization: Water Quality Association (WQA)
- Member of the U.S. Green Building Council (USGBC).
- Member Better Business Bureau (BBB)
- Best value on the market
- Worldwide customer base
- Limited Lifetime Warranty on all tanks (13" or smaller)
- Made in the USA!
- Environmentally friendly
- Self-maintaining
- No Salt! No Chemicals! No magnets!
- Accept no imitations.
- Pelican stands behind each and every product guaranteed!



Certifications



Residential

-  [Structural Tank - NSF/ANSI 44](#)
-  [Carbon Filtration Media - NSF/ANSI 42](#)
-  [Pentek Sediment Pre-filter System - NSF/ANSI 42](#)



-  [Clack V3006 Bypass Valve - WQA/NSF 61 certification](#)
-  [Clack V3007 Bypass Fittings \(Copper & PVC\) - WQA/NSF 61](#)



TESTED AND CERTIFIED

NSF / ANSI 61 & 42

[Click here to view our certified claims](#)



© Copyright - PelicanWater.com




THIRD PARTY PERFORMANCE TESTED

To DVGW W 512 Standard

[Click here to view our certificate](#)


diy
network
FEATURED PRODUCT





SYSTEM DIMENSIONS - NS3

Pelican Model #:	NS3
Tank Width:	9"
Max Flow Rate:	10 GPM
Connection Size:	1"
Operating Pressure:	25-80 PSI
Operating Temperatures:	36-120 F




SYSTEM DIMENSIONS - NS6

Pelican Model #:	NS6
Tank Width:	11"
Max Flow Rate:	15 GPM
Connection Size:	1"
Operating Pressure:	25-80 PSI
Operating Temperatures:	36-120 F



PSE1800



SYSTEM DIMENSIONS - PSE1800


Tank Width:	9"
Max Flow Rate:	10 GPM
Connection Size:	1"
Operating Pressure:	25-80 PSI
Operating Temperatures:	36-120 F



TANKS & PARTS

Confidence for Life!

PSE2000



SYSTEM DIMENSIONS - PSE2000

Tank Width:	11"
Max Flow Rate:	15 GPM
Connection Size:	1"
Operating Pressure:	25-80 PSI
Operating Temperatures:	36-120 F